



2019 CORNERSTONE | ANTHEM | ASPIRE | INSIGNIA

2019 LUXURY DIESEL



ENTEGRA
COACH®

enjoy the journey





ENTEGRA

COACH®

#WEAREENTEGRA



CORNERSTONE PG 3-6

ANTHEM PG 7-10

ASPIRE PG 11-14

INSIGNIA PG 15-18

THE QUIETEST RIDING, BEST HANDLING COACH ON THE MARKET TODAY. PERIOD.

HERE'S WHY:

1. SPARTAN® CHASSIS

With more than 30 years of custom chassis manufacturing, Spartan gives us the industry's premier foundation.

2. EXCLUSIVE X-BRIDGE™ FRAME

Our exclusive X-Bridge frame adds even more floor strength and structural rigidity, eliminating chassis flex and twisting; with it, the suspension—not the chassis—absorbs road shock and vibration.

3. FIVE-INCH-THICK FLOORS

The industry's thickest floors starts with several layers of plywood for dramatic reductions in energy transmission, noise and vibration. Cabinets are screwed directly to the wood and tile is laid precisely around them; other manufacturers place cabinets on top of the tile, causing squeaks or cracking.

4. RESIDENTIAL-STYLE WALLS AND ROOF

Our roof combines crowned aluminum truss rafters on 16-inch centers with Flexfoil®, fiberglass insulation and 3/8-inch plywood decking. Our walls, along with our front and rear caps, feature tucked-and-glued batting insulation—the same kind of fiberglass insulation found in sound-absorbing theater rooms.

5. MONOTUBE GAS PRESSURE SHOCKS

Designed specifically for luxury motorcoaches by Bilstein®, these shocks have 228% more surface area than twin-tube shocks for greater sensitivity and control. They virtually eliminate excessive sway and self-adjust so you don't have to change settings.



6. MICHELIN® MOTORHOME TIRES

One of the most trusted names in the business, Michelin's motorhome tires are designed for unparalleled fuel efficiency, high mileage and precise load control.

7. DUAL DIESEL EXHAUST FLUID (DEF) FILL PORTS

DEF fill ports on both sides of the coach for convenience (on most floorplans).

CORNERSTONE



STANDARDS & OPTIONS

CHASSIS

Spartan® K3 raised rail chassis
 Cummins® X15 turbocharged 605HP engine
 1,950-lb. ft. torque at 1,200 RPM
 Allison® 4000 MH 6-speed transmission
 1,500 watt engine block heater
 Reyco® Granning® rear suspension
 Reyco Granning IFS independent 20,000-lb.
 front axle and air suspension
 Dana rear axle 20,000-lb., tag axle 14,000-lb.
 4.30 rear axle ratio
 Reyco Granning Passive Steer Tag Axle and Tag axle
 air dump
 20,000-lb. hitch with 7/4-pin plug
 Hadley® air leveling system with auxiliary air compressor
 Side-mounted radiator
 All-wheel ABS disc brakes
 Three-stage engine brake
 Automatic traction control
 Bilstein® shocks - 60MM front & 46MM on rear/tag
 150-gal. fuel tank (dual fill)
 15-gal DEF tank (dual fill)
 Michelin® 365/70R 22.5" tires (front) and
 315/80R 22.5" tires (rear)
 55-degree turning radius
 Chassis batteries 2-12 volt
 210-amp alternator
 Remote air connection
 Equalizer hydraulic automatic leveling system
 Safeguard tow air brake system
 Tire pressure monitor system

CONSTRUCTION

X-Bridge™ frames welded into chassis frame
 Insulated, enclosed, thermostat controlled storage area
 Insulation with reflective Flexfoil® floor (R-33), roof
 (R-24), sidewalls (R-16), front and rear caps (R-22)
 2" x 4" floor truss construction
 3/4" 7-ply plywood main floor decking
 Aluma-Tru™ Superstructure construction on
 12"-16" centers
 2-1/2" exterior wall with welded tubular aluminum
 construction and high-gloss, gel-coat fiberglass
 Flush-mounted electric-powered slideout rooms with
 VegaTouch control
 One-piece fiberglass roof with 3/8" plywood decking
 and 4" arched aluminum roof truss
 Steel-reinforced front cap and windshield frame

HEAT, A/C, WATER, AND POWER

Aqua-Hot® 450 diesel hydronic water and heating
 system with in-floor heat throughout and engine
 preheat
 15,000-BTU low profile A/Cs (3) with heat pumps
 and condensation drain system
 50-amp power cord with electric reel
 Onan® 12,500-watt diesel generator with auto gen
 start on powered slide-out tray
 3,000 watt pure sine wave inverters (2)
 L16 AGM batteries (4), (6v/390 amp hrs. ea.)
 Battery boost system
 Premium surge protector transfer switch
 Water hose with electric reel
 Black holding tank sprayer
 Sani-Con® Turbo macerator holding tank dump system
 with electric gate valves & manual back-up system
 SeeLevel™ tank monitoring system
 City and tank water filtration system
 Winterizing drain system

EXTERIOR

Executive Bus Armor 10" stainless steel trim
 Lighted chrome clearance accent
 3M® front protective film mask
 LED high and low beam headlights
 LED fog lights
 Daytime running lights
 LED marker lights, turn lights and license plate light
 LED docking lights
 LED accent lights on underside of slideout rooms
 passenger side
 LED third brake light
 Lighted grab handle with keypad system
 Deluxe concealed entry step / Lighted Entegra step
 Girard® power entrance door awning with LED lights
 Girard Ultra window shades and slide-out awnings
 Roof mounted Girard Vision dual pitched patio awning
 w/ LED lights
 Chrome, heated, remote control, side-view
 Ramco mirrors with blind-spot indicators
 Frameless, tinted, dual-pane, Hehr safety-glass windows
 40" Samsung® LED HDTV and Bose® Solo 5 sound bar
 on TV bracket with extend, tilt and swivel arm
 Exterior utility center, heated and enclosed with
 system monitor panel
 Power Slideout cargo trays (2)
 Winegard® in-motion satellite dome with prep for
 TRAV'LER® satellite dish
 Winegard Rayzar Automatic powered TV antenna
 Power engine door with manual override
 Full-width rear mudflap, with chrome "Cornerstone"
 nameplate

COCKPIT

Valid 15" digital dash with selector knob
 Message center and monitoring systems included in
 Valid digital dash
 Glass panel, dual 9" touchscreen in-dash infotainment
 center with Rand McNally™ RV navigation,
 Bluetooth®, Sirius™ XM, AM/FM tuner, integrated
 camera control, house mode whole coach audio
 distribution, and integrated VegaTouch coach control
 Power front sun visors and privacy shade
 6-way power, lumbar, air cooled, heated, leather driver
 and passenger seats with integrated 3-point belt
 Push button start
 Power flush stepwell cover
 Ultra-Vision® one-piece wrap-around tinted windshield
 Wood-grain, leather-wrapped, tilt and telescoping
 steering wheel with integrated controls for radio,
 cruise, and wipers
 Molded side consoles
 JBL® premium audio sound system with amplifier,
 speakers and subwoofer
 Power adjustable foot pedals
 "Total Vision" rear camera and digital side cameras
 Two dual USB ports

INTERIOR

VegaTouch pad system, for complete integration of
 coach controls
 Dimmable LED recessed 12V lighting
 High Gloss 12" x 24" porcelain tile with granite
 inlay design
 Carpet on living area slides
 Aire-Secure™ travel locks for all pocket doors
 Power solar day and black out night shades
 Samsung® 50" HDTV
 Samsung 32" LED HDTV in front overhead
 Bose SoundTouch 300 sound system
 Blu-ray™ player in living area
 Leather hide-a-bed
 Stacked washer and dryer
 Central vacuum system
 In-step storage with pull-out tray
 LED lit fireplace (45B and 45Y)
 2 indoor/outdoor "Ollie" chairs

KITCHEN

Quartz countertops with stainless steel sink and
 dimmable LED accent lighting
 Pullout countertop extension with drawers
 Porcelain tile backsplash with glass design inlays and
 a ceramic border
 Large deep drawer for waste basket with easy access
 trash chute (trash chute not available in 45F)

Dishwasher with wood raised panel door front
 Induction cooktop with cover
 Whirlpool® Gold 1.9 cu. ft. convection microwave oven
 Whirlpool residential refrigerator with ice maker
 and water dispenser
 Maxxair® power vent

BEDROOM

Select Comfort® Sleep Number® king size mattress
 Nightstands with USB ports and solid surface tops
 Ceiling fan
 Large cedar-lined wardrobe with automatic lights
 (automatic light not available in 45F)
 Samsung 32" LED HDTV
 Bose Solo 5 sound bar
 Blu-ray player

BATHROOM

Quartz countertop with integrated sink and LED
 accent lighting
 Thetford® Tecma china toilets with push button flush
 (45A, 45F, 45W)
 Porcelain tiled shower walls and floor with skylight
 and frameless glass shower door
 Teak wood shower seat (Not available in 45F)
 Maxxair Deluxe power vents



SAFETY

Spartan Advanced Protection System equipped
 with collision mitigation, adaptive cruise control and
 electronic stability control
 Security system with glass shatter sensors
 Porch light and motion sensor security lights
 Smoke alarm
 Carbon monoxide alarm
 Safe
 Blind spot monitoring system tuned to detect objects
 within the lane of traffic on either side of the vehicle


OPTIONS

Canadian Standards
 Leather dinette booth (45A, 45B, 45W and 45Y)
 Free standing table with 4 chairs driver side (45X)
 Theater seating with power recliners and fixed
 center console
 Winegard TRAV'LER satellite dish - DIRECTV®
 Winegard TRAV'LER satellite dish - Shaw® Direct
 Winegard WIFI Extender with 4G/LTE
 Solar panels (Dual-100 watt)
 Exterior freezer

CORNERSTONE FLOORPLANS



SPECS & OPTIONS




Floorplan	GVWR (lbs.)	GCWR (lbs.)	Front GAWR (lbs.)	Rear GAWR (lbs.)	Tag GAWR (lbs.)	Wheel Base	Overall Length	Exterior Height w/ A/C & Satellite	Exterior Width	Interior Height	Fresh Water Capacity (gal.)	Grey Waste Water Capacity (gal.)	Black Waste Water Capacity (gal.)
45A-45Y	54,000	74,000	20,000	20,000	14,000	320"	44' 11"	12' 11"	101"	84"	100	62	41

CORNERSTONE INTERIORS




Natural Glazed Cherry
(n/a with Cashmere décor)

Tuscan Glazed Cherry
(n/a with Cashmere décor)




WOOD OPTIONS



Serenity
(Bathroom wood only)

Stonewall Grey
(Cashmere décor only)

CORNERSTONE PAINT SELECTIONS




AMBER




IMPERIAL



SUNFIRE



AZURE



PHOENIX

ANTHEM



STANDARDS & OPTIONS

CHASSIS

Spartan® K2 raised rail chassis
Cummins® L turbocharged 450 HP engine 1,250-lb. ft. torque at 1,400 RPM
Allison® 3000 MH 6-speed transmission
1,000 watt engine block heater
Reyco® Granning® IFS independent 17,000-lb. front axle with air suspension
Rear axle 20,000-lb., tag axle 12,000-lb.
4.88 rear axle ratio
15,000-lb. hitch with 7/4-pin plug
Tag axle air dump
Side-mounted radiator
ABS disc brakes on front axle, drum brakes on drive and tag axle
Two-stage engine brake
Automatic traction control
Bilstein® shocks- 60MM front & 46MM rear/tag
150-gal. fuel tank (dual fill)
15-gal DEF tank (dual fill)
Michelin® 315/80R 22.5" tires (front) and 295/80R 22.5" tires (rear)
55-degree turning radius
Chassis batteries 2-12 volt
170-amp alternator
Remote air connection
Hadley® air leveling system with auxiliary air compressor
Equalizer hydraulic automatic leveling
Blind spot monitoring system
Safehaul tow air brake system
Tire pressure monitor system

CONSTRUCTION

X-Bridge™ frames welded into chassis frame
Insulated, enclosed, thermostat controlled storage area
Insulation with reflective Flexfoil® floor (R-33), roof (R-24), sidewalls (R-16), front and rear caps (R-22)
2" x 4" floor truss construction
3/4" 7-ply plywood main floor decking
Aluma-Tru™ superstructure construction on 12"-16" centers
2-1/2" exterior wall with welded tubular aluminum construction and high-gloss, gel-coat fiberglass
Flush-mounted electric-powered slideout rooms with VegaTouch control
One-piece fiberglass roof with 3/8" plywood decking and 4" arched aluminum roof truss
Steel-reinforced front cap and windshield frame

HEAT, A/C, WATER, AND POWER

Aqua-Hot® 450 diesel hydronic water and heating system with in-floor heat throughout and engine preheat
15,000-BTU low profile A/Cs (3) with heat pumps and condensation drain system
50-amp power cord with electric reel
Onan® 12,500-watt diesel generator with auto gen start on powered slide-out tray
3,000 watt pure sine wave inverters (2)
L16 AGM batteries (4), (6v/390 amp hrs. ea.)
Premium surge protector transfer switch
Water hose with electric reel
Black holding tank sprayer
Macerator holding tank dump system with manual gate valves
SeeLevel™ tank monitoring system
City and tank water filtration system
Winterizing drain system
Battery boost system

EXTERIOR

Premier Bus Armor 8" stainless steel trim
Lighted, chrome clearance accent
3M® front protective film mask
LED high and low beam headlights
LED fog lights
Daytime running lights
LED marker lights, turn lights and license plate light
LED docking lights
LED accent lights on underside of slideout rooms passenger side
LED Third brake light
Lighted grab handle with keypad system
Girard® power entrance door awning with LED lights
Girard Ultra window shade awning and Ultra slide-out awnings
Roof mounted Girard Vision dual pitched patio awnings with LED lights
Chrome, heated, remote control, Ramco side-view mirrors with blind-spot indicators
Frameless, tinted, dual-pane, Hehr safety-glass windows
40" Samsung® LED HDTV and Bose® Solo 5 sound bar on TV bracket with extend, tilt and swivel arm
Exterior utility center, heated and enclosed with system monitor panel
Manual slideout cargo tray
Winegard® in-motion, dome, roof-mounted satellite dish with prep for TRAV'LER® satellite dish
Winegard Rayzar automatic powered TV antenna
Power engine door with manual override
Full-width rear mudflap, with chrome "Anthem" nameplate

COCKPIT

Valid 15" digital dash with selector knob
Message center and monitoring systems included in Valid digital dash
6-way power, lumbar, Ultraleather driver and passenger seats with integrated 3-point belt
Push button start
Powered flush stepwell cover
Powered front sun visors and privacy shade
Ultra-Vision® one-piece wrap-around tinted windshield
Wood-grain, leather-wrapped, tilt and telescoping steering wheel with integrated controls for radio, cruise, and wipers
Molded side consoles
Glass panel, dual 9" touchscreen in-dash infotainment center with Rand McNally™ RV navigation, Bluetooth®, Sirius XM™, AM/FM tuner, integrated camera control, house mode whole coach audio distribution, and integrated VegaTouch coach control
JBL® premium audio sound system with amplifier, speakers and subwoofer
Power adjustable foot pedals
High definition digital side and rear view cameras
Two dual USB ports

INTERIOR

VegaTouch pad system, for complete integration of coach controls
Dimmable LED recessed 12V lighting
High gloss 8" x 48" porcelain tile floor
Carpet on living area slides
Power solar day and black out night shades
Samsung 50" LED HDTV
Samsung 32" LED HDTV in front overhead
Bose SoundTouch 300 sound system
Blu-ray player in living area
Ultraleather hide-a-bed(s)
Stacked washer and dryer
Central vacuum system
In-step storage with pull-out tray
LED fireplace (44B, 42DEQ)
Aire-Secure™ travel locks for all pocket doors

KITCHEN

Solid surface countertops with stainless steel sink and dimmable LED accent lighting
Pullout countertop extension with drawers
Porcelain tile backsplash with glass design inlays
Large deep drawer for waste basket with easy access trash chute (trash chute not available in 44F)
Dishwasher with wood raised panel door front
Induction cooktop with cover
Whirlpool® Gold 1.9 cu. ft. convection microwave oven
Whirlpool residential refrigerator with ice maker and water dispenser
Maxxair® power vent

BEDROOM

Select Comfort® Sleep Number® king size mattress
Nightstands with USB ports and solid surface tops
Ceiling fan
Large cedar-lined wardrobe with automatic lights (Automatic lights not available in 44F)
Samsung 32" LED HDTV in bedroom
Bose Solo 5 sound bar in bedroom
Blu-ray player

BATHROOM

Solid surface countertops with integrated sink and dimmable LED accent lighting
Thetford® Tecma china toilet(s) with push button flush
Thetford china toilets with push button flush
Porcelain tiled shower wall with skylight
Teak wood shower seat (Not available in 44F)
Maxxair Deluxe power vent

SAFETY

Security system with glass shatter sensors
Porch light and motion sensor security lights
Smoke alarm
Carbon monoxide alarm
Safe
Blind spot monitoring system

OPTIONS

Canadian Standards
Ultraleather dinette booth (N/A 44F)
Theater seating with power recliners and fixed center console
Winegard TRAV'LER satellite dish - DIRECTV
Winegard TRAV'LER satellite dish - Shaw® Direct
Winegard WIFI Extender with 4G/LTE
Solar panels (Dual-100 watt)
Exterior freezer - Dometic

ANTHEM FLOORPLANS



42DEQ | OPTIONS: A AND C



44A | OPTIONS: A AND B



44B | OPTIONS: A AND C




44F | OPTIONS: B




44W | OPTIONS: A AND B

SPECS & OPTIONS




Floorplan	GVWR (lbs.)	GCWR (lbs.)	Front GAWR (lbs.)	Rear GAWR (lbs.)	Tag GAWR (lbs.)	Wheel Base	Overall Length	Exterior Height w/ A/C & Satellite	Exterior Width	Interior Height	Fresh Water Capacity (gal.)	Grey Waste Water Capacity (gal.)	Black Waste Water Capacity (gal.)
42DEQ	49,000	64,000	17,000	20,000	12,000	296"	43' 5"	12' 11"	101"	84"	100	62	41
44A, 44B, 44F, 44W	49,000	64,000	17,000	20,000	12,000	320"	44' 11"	12' 11"	101"	84"	100	62	41


ANTHEM INTERIORS



ANTHEM PAINT SELECTIONS




JAZZ



SALSA



WALTZ



JIVE



TANGO

ASPIRE



STANDARDS & OPTIONS

CHASSIS

Spartan® K2 raised rail chassis
 Cummins® L9 450 HP engine 1,250-lb. ft. torque at 1,400 RPM
 Allison® 3000 MH 6-speed transmission
 1,000 watt engine block heater
 Reyco® Granning® rear suspension
 Reyco Granning IFS independent 17,000-lb. front axle with air suspension
 Rear axle 20,000-lb., tag axle 12,000-lb. (Rear axle 24,000-lb. and no tag on 38M and 40P)
 4.88 rear axle ratio
 15,000-lb. hitch with 7/4-pin plug, (10,000-lb. hitch on 38M and 40P)
 Tag axle air dump (Not available on 38M and 40P)
 Side-mounted radiator
 ABS disc brakes on front axle, drum brakes on drive and tag axle (ABS disc brakes on front and rear axle on 38M and 40P)
 Two-stage engine brake
 Bilstein® 46mm shocks
 150-gal. fuel tank (100-gal. fuel tank on 38M and 40P) dual fill
 15 gallon DEF tank (dual fill except on 38M, 40P, 44R)
 Michelin® 315/80R 22.5" Tires (Front) 295/80 R 22.5" Tires (Rear)
 55-degree turning radius
 Chassis batteries 2-12 volt
 170-amp alternator
 Remote air connection
 Equalizer hydraulic automatic leveling
 Safehaul tow air brake system

CONSTRUCTION

X-Bridge™ frames welded into chassis frame
 Insulated, enclosed, thermostat controlled storage area
 Insulation with reflective Flexfoil® floor (R-33), roof (R-24), sidewalls (R-16), front and rear caps (R-22)
 2" x 4" floor truss construction
 3/4" 7-ply plywood main floor decking
 Aluma-Tru™ Superstructure construction on 12"-16" centers
 2-1/2" exterior wall with welded tubular aluminum construction and high-gloss, gel-coat fiberglass
 Flush-mounted electric-powered slideout rooms with remote control
 One-piece fiberglass roof with 3/8" plywood decking and 4" arched aluminum roof truss
 Steel-reinforced front cap and windshield frame

HEAT, A/C, WATER, AND POWER

Aqua-Hot® 400 diesel hydronic water and heating system with in-floor heat throughout
 15,000-BTU low profile A/Cs (3) with heat pump, and condensation drain system
 50-amp power cord with electric reel
 Onan® 10,000-watt diesel generator with auto gen start on slide-out tray
 Battery boost system
 3,000-watt pure sine wave inverter
 L16 AGM batteries (2), (6v/390 amp hrs. ea.)
 Surge protector transfer switch
 Water hose with electric reel
 Black holding tank sprayer
 Macerator holding tank dump system with manual gate valves
 SeeLevel™ tank monitoring system
 City and tank water filtration system
 Winterizing drain system

EXTERIOR

3M® front protective film mask
 LED low beam headlights
 Halogen high beam headlights
 Halogen fog lights
 Daytime running lights
 LED marker lights, turn lights and license plate light
 LED docking lights
 LED accent lights on underside of slideout room passenger side
 LED Third brake light
 Lighted grab handle with keypad system
 Girard® power entrance door awning with LED lights
 Girard window shade awning and slide-out awnings
 Roof mounted Girard Vision dual pitched patio awning with LED lights
 Chrome, heated, remote control, Ramco side-view mirrors with integrated cameras
 Frameless, dual-pane, tinted, Hehr safety-glass windows
 40" Samsung® LED HDTV and JBL® Bar Studio sound bar on TV bracket with extend, tilt and swivel arm
 Exterior utility center, heated and enclosed with system monitor panel
 Winegard® In-Motion satellite dome with prep for TRAV'LER® satellite dish
 Winegard Rayzar Z1 TV antenna
 Power rear engine door with manual override
 Full-width rear mudflap, with chrome "Aspire" nameplate

COCKPIT

Powered flush stepwell cover
 Powered front sun visors and privacy shade
 Ultra-Vision® one-piece wrap-around tinted windshield
 6-way power, lumbar Ultraleather driver and passenger seats with 3-point belt
 Push button start
 Tilt and telescoping steering wheel with integrated controls for cruise and wipers
 Molded side consoles
 Spartan Message Center with LCD display
 Dual 9" touchscreen in-dash infotainment center with Rand McNally™ RV navigation, Bluetooth®, Sirius XM™, AM/FM tuner, integrated camera control
 JBL premium audio sound system with speakers, amplifier, and subwoofer
 Powered adjustable foot pedals
 Camera system with side cameras and digital rear camera
 Two dual USB ports

INTERIOR

Multiplex controlled lighting system
 Dimmable LED recessed 12V lighting
 High gloss 12" x 24" porcelain tile floor hand laid in a herringbone pattern
 Carpet on living area slides
 Manual solar day and black out night shades
 Aire-Secure™ travel locks for all pocket doors
 Samsung 50" LED HDTV (49" in 38M)
 Samsung 32" LED HD TV in front overhead
 Samsung sound bar with wireless subwoofer in living area
 Blu-ray™ player in living area
 Ultraleather hide-a-bed sofa(s)
 Stacked washer and dryer
 Central vacuum system
 In-step storage with pull-out tray

KITCHEN

Solid surface countertops with stainless steel sink and dimmable LED accent lighting
 Pullout countertop extension with drawers
 Solid-surface backsplash with tile accent
 Large deep drawer for waste basket with easy access trash chute (Trash chute not available on 40P and 44R)
 Induction cooktop with cover
 Whirlpool® 1.9 cu. ft. convection microwave oven
 Whirlpool residential refrigerator with ice maker and water dispenser
 Maxxair® power vent

BEDROOM

King size gel memory foam mattress
 Nightstands with USB ports and solid surface tops
 Samsung 32" LED HDTV
 JBL Bar Studio sound bar
 Blu-Ray Player
 Ceiling fan
 Automatic lights in wardrobe

BATHROOM

Solid surface countertops with integrated sink and LED accent lighting
 Thetford® Tecma china toilets
 Marble patterned shower with skylight and clear glass shower door
 Maxxair Deluxe power vent

SAFETY

Security system with glass shatter sensors
 Porch light and motion sensor security lights
 Smoke alarm
 Carbon monoxide alarm
 Safe


OPTIONS

Canadian Standards
 LED lit fireplace (38M, 44B and 42DEQ)
 Dishwasher drawer
 Theater seating with power recliner
 Winegard TRAV'LER satellite dish - DIRECTV
 Winegard TRAV'LER satellite dish - Shaw® Direct
 Solar panels
 Slideout storage tray
 Second Girard patio awning
 Winegard WIFI Extender with 4G/LTE
 Batteries - 2 additional AGM, 4 total (Not available on 38M and 40P)

ASPIRE FLOORPLANS



SPECS & OPTIONS



Floorplan	GVWR (lbs.)	GCWR (lbs.)	Front GAWR (lbs.)	Rear GAWR (lbs.)	Tag GAWR (lbs.)	Wheel Base	Overall Length	Exterior Height w/ A/C & Satellite	Exterior Width	Interior Height	Fresh Water Capacity (gal.)	Grey Waste Water Capacity (gal.)	Black Waste Water Capacity (gal.)
38M-40P	41,000	51,000	17,000	24,000	N/A	261"	40' 11"	12' 11"	101"	84"	100	62	41
42DEQ	49,000	64,000	17,000	20,000	12,000	296"	43' 5"	12' 11"	101"	84"	100	62	41
44B, 44R, 44W	49,000	64,000	17,000	20,000	12,000	320"	44' 11"	12' 11"	101"	84"	100	62	41

ASPIRE INTERIORS



Natural Glazed Cherry
(n/a with Cobblestone décor)

Tuscan Glazed Cherry
(n/a with Cobblestone décor)




WOOD OPTIONS




Tranquility
(Bathroom wood only)

Stonewall Grey
(Cobblestone décor only)


ASPIRE PAINT SELECTIONS



GOLDEN ROD



MARIGOLD



TIGER LILLY



IRIS



POPPY

INSIGNIA



STANDARDS & OPTIONS

CHASSIS

Spartan® K2 raised rail chassis
 Cummins® L9 turbocharged 450 HP engine
 1,250-lb. ft. torque at 1,400 RPM (Larger than 40') /
 Cummins® L turbocharged 380 HP engine
 1,150-lb. ft. torque at 1,400 RPM (40' and under)
 Allison® 3000 MH 6-speed transmission
 1,000 watt engine block heater
 Reyco® Granning® front and rear suspension
 Front axle I-beam 16,000-lb. wide track
 Rear axle 20,000-lb., tag axle 12,000-lb. (Larger than 40') / Rear axles 24,000-lb. (40' and under)
 4.88 rear axle ratio (Larger than 40') / 4.78 rear axle ratio (Less than 40')
 15,000-lb. hitch with 7/4-pin plug (Larger than 40') / 10,000-lb. hitch with 7/4-pin plug (40' and under)
 Tag axle air dump (Larger than 40')
 Side-mounted radiator
 ABS disc brakes on front axle, drum brakes on drive and tag axle (Larger than 40') / ABS disc brakes on front and rear axle (40' and under)
 Two-stage engine brake
 Bilstein® 46mm shocks
 100-gal. fuel tank (dual fill)
 15 gallon DEF tank (dual fill 44B & 44W) / 15 gallon DEF tank (passenger side fill) (Less than 40')
 Michelin® 295/80R 22.5" Tires (Front) 275/80 R 22.5" Tires (Rear)
 52 degree turning radius
 Chassis batteries (2) 12 volt
 170-amp alternator
 Remote air connection
 Equalizer hydraulic automatic leveling
 Safehaul tow air brake system (Larger than 40')

CONSTRUCTION

X-Bridge™ frames welded into chassis frame
 Insulated, enclosed, thermostat controlled storage area
 Insulation with reflective Flexfoil® floor (R-33), roof (R-24), sidewalls (R-16), front and rear caps (R-22)
 2" x 4" floor truss construction
 3/4" 7-ply plywood main floor decking
 Aluma-Tru™ Superstructure construction on 12"-16" centers
 2-1/2" exterior wall with welded tubular aluminum construction and high-gloss, gel-coat fiberglass
 Flush-mounted electric-powered slideout rooms with remote control
 One-piece fiberglass roof with 3/8" plywood decking and 4" arched aluminum roof truss
 Steel-reinforced front cap and windshield frame

HEAT, A/C, WATER, AND POWER

50-gal. propane gas tank
 Aqua-Hot® 400-LP hydronic water and heating system with in-floor heat throughout (Larger than 40') / Aqua-Hot 250-LP (40' and under)
 15,000 BTU low profile A/Cs with heat pump, digital thermostat, and roof to ground condensation drain system (3 units in coaches over 40' and 2 units in coaches under 40')
 50-amp power cord with electric reel
 Onan® 10,000-watt diesel generator with auto gen start on slide-out tray
 3,000-watt pure sine wave inverter
 L16 AGM batteries (2), (6v/390 amp hrs. ea.)
 Battery boost system
 Surge protector transfer switch
 Black holding tank sprayer
 Macerator holding tank dump system with manual gate valves
 SeeLevel™ tank monitoring system
 City and tank water filtration system
 Winterizing drain system

EXTERIOR

3M® front protective film mask
 Halogen high and low beam headlights
 Halogen fog lights
 Daytime running lights
 LED marker lights, turn lights and license plate light
 LED docking lights
 LED accent lights on underside of slideout rooms - Passenger side
 LED third brake light
 Lighted grab handle with keypad system
 Girard® power entrance door awning with LED lights
 Carefree® window shade and slide-out awnings
 Girard Ultra power patio awning with LED lights
 Heated, remote control, Ramco side-view mirrors with integrated cameras
 Frameless, dual-pane, tinted, Hehr safety-glass windows
 Exterior 39" Insignia™ LED HDTV and Insignia sound bar on TV bracket with extend, tilt and swivel arm
 Exterior utility center, heated and enclosed with system monitor panel
 Winegard® In-Motion satellite dome with prep for TRAV'LER satellite dish
 Winegard Rayzar Z1 TV antenna
 Full-width rear mudflap, with chrome "Insignia" nameplate

COCKPIT

Powered flush stepwell cover
 Powered front sun visors and privacy shade
 Ultra-Vision® one-piece wrap-around tinted windshield
 Power adjustable driver and passenger seats with integrated 3-point lap and shoulder safety belts
 Push Button Start
 Tilt and telescoping steering wheel with integrated controls for cruise and wipers
 Spartan Message Center with LCD display
 9" touchscreen in-dash infotainment center with Rand McNally™ RV navigation, Bluetooth®, Sirius XM™, AM/FM tuner, integrated camera control
 JBL® premium audio sound system (Larger than 40') / JBL speakers (40' and under)
 Powered adjustable foot pedals
 Side and rear view cameras
 Two dual USB ports

INTERIOR

Multiplex controlled lighting system
 Dimmable LED recessed 12V lighting
 Hand laid high gloss 12" x 24" porcelain tile floor
 Manual solar day and black out night shades
 Insignia 50" LED HDTV
 Insignia sound bar in living room
 Aire-Secure™ travel locks for all pocket doors
 Blu-ray® player in living area
 Stacked washer and dryer
 Ultra-leather hide-a-bed sofa
 Carpet on living area slides

KITCHEN

Solid surface countertops with stainless steel sink and LED accent lighting
 Large deep drawer for waste basket with easy access trash chute (Trash chute N/A in 37MB, 40B2, 40BH & 44R)
 Induction cooktop with cover
 Whirlpool® Gold 1.9 cu. ft. convection microwave oven
 Whirlpool residential refrigerator with ice maker and water dispenser
 Maxxair® power vent

BEDROOM

Nightstands with USB ports and solid surface tops
 Insignia 32" LED HDTV in bedroom
 Insignia 39" LED HDTV in bedroom (37MB)
 Ceiling fan

BATHROOM

Solid surface countertop(s) with integrated sink and LED accent lighting
 Thetford® Tecma china toilets (Larger than 40')
 Thetford Aqua-Magic china toilet with foot flush (40' and under)
 One-piece fiberglass shower with skylight
 Maxxair power vent

SAFETY

Porch light and security lights
 Smoke alarm
 Carbon monoxide alarm
 Propane alarm


OPTIONS

Canadian standards
 Dinette booth (40B2, 40BH, 44B & 44W)
 Theater seating w/power recliners and fixed center console
 Front overhead TV
 Winegard TRAV'LER satellite dish - DIRECTV
 Winegard TRAV'LER satellite dish - Shaw® Direct
 Winegard WIFI Extender with 4G/LTE
 Slideout storage tray
 Central vacuum system
 Batteries - 2 additional AGM, 4 total (N/A on 40B2)
 LED lit Fireplace (37MB & 44B)

INSIGNIA FLOORPLANS



37MB | OPTION: B




40B2 | OPTIONS: A AND B AND D



44B | OPTIONS: A AND C




44R | OPTION: B





44W | OPTIONS: A AND B

SPECS & OPTIONS




Floorplan	GVWR (lbs.)	GCWR (lbs.)	Front GAWR (lbs.)	Rear GAWR (lbs.)	Tag GAWR (lbs.)	Wheel Base	Overall Length	Exterior Height w/ A/C & Satellite	Exterior Width	Interior Height	Fresh Water Capacity (gal.)	Grey Waste Water Capacity (gal.)	Black Waste Water Capacity (gal.)
37MB	40,000	50,000	16,000	24,000	N/A	228"	38' 2"	12' 11"	101"	84"	100	62	41
40B2	40,000	50,000	16,000	24,000	N/A	261"	40' 11"	12' 11"	101"	84"	100	62	41
44B, 44R, 44W	48,000	63,000	16,000	20,000	12,000	320"	44' 11"	12' 11"	101"	84"	100	62	41


INSIGNIA INTERIORS




INSIGNIA PAINT SELECTIONS




AUTUMN BERRY



MOONLIT BEACH



POLISHED PEARL



TOPAZ



ENTEGRACOACH, INC., P.O. BOX 460, MIDDLEBURY, IN 46540

WWW.ENTEGRACOACH.COM

Gross Vehicle Weight Rating (GVWR): The maximum permissible weight of the motorcoach, including the Unloaded Vehicle Weight (UVW) plus passengers, personal items, all cargo, fluids, options and dealer-installed accessories. The GVWR is equal to or greater than the sum of the UVW and the Cargo Carrying Capacity. Gross Axle Weight Rating (GAWR): The maximum allowable weight each axle assembly is designed to carry, as measured at the tires, therefore including the weight of the axle assembly itself. Gross Combined Weight Rating (GCWR): The maximum allowable combined weight of the motorcoach used as a tow vehicle and the attached towed vehicle.

Entegra Coach, Inc. | P.O. Box 460 | Middlebury, IN 46540 See dealer for further information and prices. All information in this brochure and on www.entegracoach.com is the latest available at the time of publication approval. Entegra Coach reserves the right to make changes and to discontinue models without notice or obligation. Photography may show optional equipment or props used for decoration purposes only. RVs built for sale in Canada may differ to conform to Canadian codes. ENTEGRA COACH, JAYCO and the JAYCO BIRD IN FLIGHT are registered trademarks of Jayco, Inc. Printed in U.S.A. 27K 07/18 © 2018 Entegra Coach, Inc. 274887